

Vitalograph[®] COMPACT Spirometry Report


ID: 1234567891234 **Name:** Plato, Arnold
Sex: Male **Height:** 183 cms
Birth Date: 10/10/1973 **Age:** 32 **Weight:** 95.5 kgs

Test Date: 12/04/2006 **Time:** 15:10
N° Attempts: 4 **Reproducibility:** FVC: 3.13% FEV1: 2.99%
 Slow start of test.
Unit ID: 12345 **Last Accuracy Check Date:** 09/04/2002

ATS Best Values at B.T.P.S- Knudson Normal Values (S/W 67057/3)

Index		Pred	Meas	%	Post	%	Change
FVC	L	6.00	3.80*	65	6.10	105	+10
FEV .5	L	3.00	2.80	90	3.05	105	+15
FEV.5/FVC%	%	50	42	84	46	92	+8
FEV.75	L/s	4.00	2.87	72	4.05	101	+9
FEV3	L	5.90	3.76*	61	5.92	103	+12
FEV3/FVC%	%	90	89	88	90	102	+14
PEF	L/min	585	605	108	620	116	+8
FEF25-75%	L/s	4.82	4.67	91	5.02	110	+19
FEF25%	L/s	7.65	7.45	92	7.44	91	-1
FEF50%	L/s	6.43	6.23	91	6.46	101	+10
FEF75%	L/s	4.23	4.12	90	4.32	105	+15

* Below Lower Limit of Normality (LLN)



Signature: _____